

Assembly Instructions

| | |
|----------------|-----------------------|
| Model: | TERYX KRX |
| Description: | Towable Storage Cover |
| Part Number: | 99994-1326 |
| Assembly Time: | 15 Minutes |

Before you begin, read through these instructions and check that all parts are present. Please note that Kawasaki cannot assume any responsibility for damage resulting from incorrect installation. Kawasaki recommends that all genuine accessories should be fitted by an authorized Kawasaki dealer.

The following symbols indicate the information for proper installation and operation in this instruction.

NOTICE : NOTICE is used to address practices not related to personal injury.

NOTE : NOTE indicates information that may help or guide you in the operation or service of the vehicle.

- Indicates a procedural step or work to be done.
- Indicates a procedural sub-step or how to do the work of the procedural step it follows. It also precedes the text of a NOTE.

| Parts List | | |
|------------|----------------|-----|
| No. | Component Name | Qty |
| 1 | Cover | 1 |

Parts Photo



Installation Instructions

- Park the vehicle on level ground, set the parking brake, turn off the ignition switch.
- Unfold cover (1), loosen all straps and undo all clips.
- Locate the front of the cover which have the winch opening.
- Install cover on vehicle



- The cover shall be placed as low as possible towards the front of the vehicle.



Installation Instructions

- Take the winch hook out of the cover and close the Velcro and the plastic clip.



- Attach rear plastic clip located near the rear wheel and tighten evenly.



Installation Instructions

- Attach the side straps by passing them around the suspension arm below the vehicle. Tighten straps.



- Pass the two (2) rear straps around the stabilizer bar beside rear bumper. Attach the plastic clip and tighten the straps.

NOTICE

To protect the cover during transportation on trailer, always make sure that all straps are well tightened before trailering. For long travels or high speeds, it is possible that the straps will come lose. Readjust the straps periodically.

NOTE

- *Never apply any load on installed cover. Always remove snow, water and sand that accumulates on top of cover. This cover is not designed to support loads*
- *Do not store vehicle in direct sun with this cover on. Either remove the cover or keep you vehicle and cover in shade. Prolonged exposure to the sun and intense summer heat can cause the destruction of fibers in the fabric. Damage due to prolonged exposure to direct sunlight cannot be warranted.*



Enjoy Your Kawasaki Genuine Accessory!